LAB-Tester

SMART.
QUICK.
EASY.

ENGLISH

LAB-Tester

YOU NEED:

>> A high quality pulltester
>> Simple and complete
>> Requires no training
>> For every budget
>> Ready to go out of the box

THE SOLUTION: LAB-Tester

>> Full motorized XYZ & P axes
   for thin and heavy wire
>> Intuitive user interface
>> Automatic report generation
>> Fully flexible data export through
   USB/ WiFi/ LAN/ Bluetooth
>> Industry 4.0 ready

LT
SERIES

Work area 40 x 40 mm
Z-Stroke 40 mm
max. part size XY
200 x 150 mm

Head is adjustable in
height from 0 - 80 mm
for many different
part sizes

Extremely simple
operation and evaluation
by touchscreen

Many interface
connections
USB/WiFi/LAN/BT
for data export and
remote evaluation

Ergonomical
mobile user panels
for perfect adaptability

Exchangeable
test-cartridge for
thin- and heavy wire

CSR (Corporate
Standard Report) with
clear data base structure
and selection of test
samples offering wide
filtering options

**F&S BONDTEC
Semiconductor GmbH**
Industriezeile 49a
5280 Braunau am Inn
AUSTRIA

ISO-9001/2008-certified

Phone: +43-7722-67052-8270
Fax: +43-7722-67052-8272
E-Mail: info@fsbondtec.at

www.fsbondtec.at

**F/\S
BONDTEC**
BONDING THE STARS